



WELDED TUBES & HOLLOW SECTIONS

CATALOG

2025

CONTENT

TRUBOSTAL

PARTNER COMPANY

European and Ukrainian standards **04**

Other standards **05**

KOMINMET

PARTNER COMPANY

European and Ukrainian standards **06**

American Standards **10**

Other standards **14**



Metinvest is an international steel and mining group with coal mines and steelmaking assets in Europe and North America.

We manage the complete production chain, from extracting iron ore and coal to manufacturing semi-finished and finished steel products. This gives us the opportunity to take an individual approach to each customer's needs.

1,000+
steel products

4000+
customers

24
sales offices

50+
countries

WELDED TUBES AND HOLLOW SECTIONS PRODUCTION


Annual capacity

 **KOMINMET**

312 KT

 **TRUBOSTAL**

55 KT



TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER / PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
SQUARE STEEL TUBES AND HOLLOW SECTIONS	20x20	1.5-2.5	4.5-6.0	EN 10219	S235JRH
	25x25	1.5-2.5	4.5-6.0	DSTU EN 10219	
	30x30	1.5-3.5	4.0-12.0	DSTU 8940	St. 1-3 (kp/ps/sp)
	40x40	2.0-3.5	4.0-12.0		
	50x50	2.0-3.5	4.0-12.0		
	60x60	2.0-4.0	6.0-12.0		
	80x80	2.0-4.0	6.0-12.0		
	100x100	2.0-4.0	6.0-12.0		
RECTANGULAR STEEL TUBES AND HOLLOW SECTIONS	30x20	1.5-2.5	4.5-6.0	EN 10219	S235JRH
	40x20	2.0-3.5	4.0-12.0	DSTU EN 10219	
	40x25	2.0-3.5	4.0-12.0	DSTU 8940	St. 1-3 (kp/ps/sp)
	40x27	2.0-3.5	4.0-12.0		
	50x25	2.0-3.5	4.0-12.0		
	50x30	2.0-3.5	4.0-12.0		
	60x30	2.0-3.5	4.0-12.0		
	60x40	2.0-3.5	4.0-12.0		
	80x40	2.0-4.0	6.0-12.0		
	100x50	2.0-4.0	6.0-12.0		
	100x60	2.0-4.0	6.0-12.0		
	120x80	2.0-4.0	6.0-12.0		

TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER/ PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
SQUARE STEEL TUBES AND HOLLOW SECTIONS	20x20	1.5-2.5	4.5-6.0	GOST 13663 GOST 8639	St. 1-3 (kp/ps/sp)
	25x25	1.5-2.5	4.5-6.0		
	30x30	1.5-3.5	4.0-12.0		
	40x40	2.0-3.5	4.0-12.0		
	50x50	2.0-3.5	4.0-12.0		
	60x60	2.0-4.0	6.0-12.0		
	80x80	2.0-4.0	6.0-12.0		
	100x100	2.0-4.0	6.0-12.0		
RECTANGULAR STEEL TUBES AND HOLLOW SECTIONS	30x20	1.5-2.5	4.5-6.0	GOST 13663 GOST 8645	St. 1-3 (kp/ps/sp)
	40x20	2.0-3.5	4.0-12.0		
	40x25	2.0-3.5	4.0-12.0		
	40x27	2.0-3.5	4.0-12.0		
	50x25	2.0-3.5	4.0-12.0		
	50x30	2.0-3.5	4.0-12.0		
	60x30	2.0-3.5	4.0-12.0		
	60x40	2.0-3.5	4.0-12.0		
	80x40	2.0-4.0	6.0-12.0		
	100x50	2.0-4.0	6.0-12.0		
	100x60	2.0-4.0	6.0-12.0		
	120x80	2.0-4.0	6.0-12.0		

TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER/ PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
WATER AND GAS PIPES	D 10 (3/8")	2.0, 2.2, 2.8	6 - 10	DSTU EN 10255 DIN EN 10255	S235JRH
	D 15 (1/2")	2.35, 2.5, 2.8, 3.2	6 - 10		
	D 20 (3/4")	2.35, 2.5, 2.8, 3.2	6 - 10		
	D 25 (1")	2.8, 3.2, 4.0	6 - 10		
	D 32 (1 1/4")	2.8, 3.2, 4.0	6 - 10		
	D 40 (1 1/2")	3.0, 3.5, 4.0	6 - 10		
	D 50 (2")	3.0, 3.5	6 - 10		
	D 65 (2 1/2")	2.8, 3.2, 4.0	6 - 10		
	D 80 (3")	3.5, 4.0	6 - 12		
	D 90 (3 1/2")	3.5, 4.0	6 - 12		
	D 100 (4")	3.0, 3.5, 4.0	6 - 12		
TUBES OF ROUND CROSS-SECTION	17.0	1.2 - 2.8	6 - 10	DSTU EN 10255 DIN EN 10255 DIN EN 10219	S235JRH S355J2H
	21.3	1.2 - 3.2	6 - 10		
	26.8	1.2 - 3.2	6 - 10		
	33,7	1.2 - 4.0	6 - 10		
	38.0	1.2 - 4.0	6 - 10		
	40.0	1.2 - 4.0	6 - 10		
	42.3	1.2 - 4.0	6 - 10		
	48.0	1.2 - 4.0	6 - 10		
	51.0	1.2 - 4.0	6 - 10		
	57.0	1.2 - 5.0	6 - 10		
	60.3	1.2 - 5.0	6 - 10		

TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER/ PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
TUBES OF ROUND CROSS-SECTION	76.0	1.5 - 6.0	6 - 10	DSTU EN 10255 DIN EN 10255 DIN EN 10219	S235JRH S355J2H
	89.0	1.8 - 6.0	6 - 10		
	102.0	1.8 - 6.0	6 - 10		
	108.0	1.8 - 8.0	6 - 10		
	114.0	2.0 - 8.0	6 - 12		
	127.0	2.0 - 8.0	6 - 12		
	133.0	2.5 - 8.0	6 - 12		
	159.0	2.5 - 8.0	6 - 12		
	168.3	2.7 - 8.0	6 - 12		
	177.0	2.7 - 8.0	6 - 12		
	193.7	2.7 - 8.0	6 - 12		
	219.0	2.7 - 8.0	6 - 12		
	244.0	5.0 - 8.0	6 - 12		
SQUARE STEEL TUBES AND HOLLOW SECTIONS	15x15	1.0 - 2.0	6 - 10	DSTU EN 10219 DIN EN 10219 DIN EN 10305-5	S235JRH S355J2H
	20x20	1.0 - 2.7	6 - 10		
	25x25	1.0 - 3.0	6 - 10		
	30x30	1.0 - 4.0	6 - 10	DSTU 8940	St. 1-3 (kp/ps/sp)
	35x35	1.2 - 4.0	6 - 10		
	40x40	1.2 - 5.0	6 - 10		
	45x45	1.2 - 5.0	6 - 10		
	50x50	1.2 - 5.0	6 - 10		
	60x60	1.2 - 6.0	6 - 10		

TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER/ PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
SQUARE STEEL TUBES AND HOLLOW SECTIONS	70x70	1.8 - 6.0	6 - 12	DSTU EN 10219	S235JRH
	80x80	1.8 - 8.0	6 - 12	DIN EN 10219	S355J2H
	90x90	1.8 - 8.0	6 - 12	DIN EN 10305-5	
	100x100	1.8 - 8.0	6 - 12	DSTU 8940	St. 1-3 (kp/ps/sp)
	120x120	2.7 - 8.0	6 - 12		
	140x140	2.7 - 8.0	6 - 12		
	150x150	2.7 - 8.0	6 - 12		
	160x160	3.0 - 8.0	6 - 12		
	180x180	3.8 - 8.0	6 - 12		
	200x200	5.0 - 8.0	6 - 12		
RECTANGULAR STEEL TUBES AND HOLLOW SECTIONS	10x20	1.0 - 2.0	6 - 10	DSTU EN 10219	S235JRH
	28x25	1.0 - 3.0	6 - 10	DIN EN 10219	S355J2H
	30x20	1.0 - 3.0	6 - 10	DIN EN 10305-5	
	40x20	1.0 - 4.0	6 - 10	DSTU 8940	St. 1-3 (kp/ps/sp)
	40x25	1.2 - 4.0	6 - 10		
	40x30	1.2 - 4.0	6 - 10		
	50x25	1.2 - 4.0	6 - 10		
	50x30	1.2 - 4.0	6 - 10		
	50x40	1.2 - 5.0	6 - 10		
	60x30	1.2 - 5.0	6 - 10		
	60x40	1.2 - 5.0	6 - 10		
	70x50	1.2 - 5.0	6 - 10		

TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER/ PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
RECTANGULAR STEEL TUBES AND HOLLOW SECTIONS	80x40	1.2 - 6.0	6 - 10	DSTU EN 10219	S235JRH
	80x50	1.8 - 6.0	6 - 12	DIN EN 10219	S355J2H
	80x60	1.8 - 6.0	6 - 12	DIN EN 10305-5	
	90x70	1.8 - 6.0	6 - 12	DSTU 8940	St. 1-3 (kp/ps/sp)
	100x40	1.8 - 6.0	6 - 12		
	100x50	1.8 - 6.0	6 - 12		
	100x60	1.8 - 8.0	6 - 12		
	120x40	1.8 - 8.0	6 - 12		
	120x60	1.8 - 8.0	6 - 12		
	120x80	1.8 - 8.0	6 - 12		
	140x110	2.7 - 8.0	6 - 12		
	150x100	2.7 - 8.0	6 - 12		
	160x80	2.7 - 8.0	6 - 12		
	180x100	2.7 - 8.0	6 - 12		
	180x140	3.0 - 8.0	6 - 12		
	200x100	2.7 - 8.0	6 - 12		
	200x120	3.0 - 8.0	6 - 12		
200x160	3.8 - 8.0	6 - 12			

TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER/ PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
SQUARE AND RECTANGULAR TUBES AND HOLLOW SECTIONS	Dimensions comparable to inches				
	25.4x25.4	1.6, 2.11	6096, 7315	ASTM A500	A
	50.8x50.8	1.6, 2.11, 3.05	6096, 7315		
	76.2x76.2	2.11, 3.05, 4.78	6096, 7315		
	88.9x88.9	2.11, 3.05, 4.78	6096, 7315, 9144, 12192, 14630		
	101.6x101.6	2.11, 3.05, 4.78, 6.35	6096, 7315, 9144, 12192, 14630		
	127.0x127.0	2.11, 3.05, 4.78, 6.35, 7.95	6096, 7315, 9144, 12192, 14630		
	152.4x152.4	2.11, 3.05, 4.78, 6.35, 7.95	6096, 7315, 9144, 12192, 14630		
	177.0x177.0	2.11, 3.05, 4.78, 6.35, 7.95	6096, 7315, 9144, 12192, 14630		
	203.2x203.2	2.11, 3.05, 4.78, 6.35, 7.95	6096, 7315		
	50.8x25.4	1.6, 2.11, 3.05	6096, 7315, 9144, 12192, 14630		
	101.6x50.8	2.11, 3.05, 4.78, 6.35	6096, 7315, 9144, 12192, 14630		
	101.6x76.2	2.11, 3.05, 4.78, 6.35	6096, 7315, 9144, 12192, 14630		
	152.4x101.6	2.11, 3.05, 4.78, 6.35, 7.95	6096, 7315, 9144, 12192, 14630		
203.2x101.6	2.11, 3.05, 4.78, 6.35, 7.95	6401			
ROUND PIPE	21.34	2.77	6401	ASTM A53	A
	26.67	2.87	6401		
	33.4	3.38	6401		
	42.16	2.77, 3.56	6401		
	48.26	2.77, 3.68	6401		
	50.8	2.77	6401		

TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER/ PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
SQUARE STEEL TUBES AND HOLLOW SECTIONS	15x15	1.0 - 2.0	6 - 10	ASTM A500	A
	20x20	1.0 - 2.7	6 - 10		
	25x25	1.0 - 3.0	6 - 10		
	30x30	1.0 - 4.0	6 - 10		
	35x35	1.2 - 4.0	6 - 10		
	40x40	1.2 - 5.0	6 - 10		
	45x45	1.2 - 5.0	6 - 10		
	50x50	1.2 - 5.0	6 - 10		
	60x60	1.2 - 6.0	6 - 10		
	70x70	1.8 - 6.0	6 - 12		
	80x80	1.8 - 8.0	6 - 12		
	90x90	1.8 - 8.0	6 - 12		
	100x100	1.8 - 8.0	6 - 12		
	120x120	2.7 - 8.0	6 - 12		
	140x140	2.7 - 8.0	6 - 12		
	150x150	2.7 - 8.0	6 - 12		
	160x160	3.0 - 8.0	6 - 12		
180x180	3.8 - 8.0	6 - 12			
200x200	5.0 - 8.0	6 - 12			

TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER/ PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
RECTANGULAR STEEL TUBES AND HOLLOW SECTIONS	10x20	1.0 - 2.0	6 - 10	ASTM A500	A
	28x25	1.0 - 3.0	6 - 10		
	30x20	1.0 - 3.0	6 - 10		
	40x20	1.0 - 4.0	6 - 10		
	40x25	1.2 - 4.0	6 - 10		
	40x30	1.2 - 4.0	6 - 10		
	50x25	1.2 - 4.0	6 - 10		
	50x30	1.2 - 4.0	6 - 10		
	50x40	1.2 - 5.0	6 - 10		
	60x30	1.2 - 5.0	6 - 10		
	60x40	1.2 - 5.0	6 - 10		
	70x50	1.2 - 5.0	6 - 10		
	80x40	1.2 - 6.0	6 - 10		
	80x50	1.8 - 6.0	6 - 12		
	80x60	1.8 - 6.0	6 - 12		
90x70	1.8 - 6.0	6 - 12			

TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER/ PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
RECTANGULAR STEEL TUBES AND HOLLOW SECTIONS	100x40	1.8 - 6.0	6 - 12	ASTM A500	A
	100x50	1.8 - 6.0	6 - 12		
	100x60	1.8 - 8.0	6 - 12		
	120x40	1.8 - 8.0	6 - 12		
	120x60	1.8 - 8.0	6 - 12		
	120x80	1.8 - 8.0	6 - 12		
	140x110	2.7 - 8.0	6 - 12		
	150x100	2.7 - 8.0	6 - 12		
	160x80	2.7 - 8.0	6 - 12		
	180x100	2.7 - 8.0	6 - 12		
	180x140	3.0 - 8.0	6 - 12		
	200x100	2.7 - 8.0	6 - 12		
	200x120	3.0 - 8.0	6 - 12		
	200x160	3.8 - 8.0	6 - 12		

TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER/ PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
TUBES OF ROUND CROSS-SECTION	17.0	1.2 - 2.8	6 - 10	GOST 10704 GOST 10705	St. 1-3 (kp/ps/sp)
	21.3	1.2 - 3.2	6 - 10		
	26.8	1.2 - 3.2	6 - 10		
	33.7	1.2 - 4.0	6 - 10		
	38.0	1.2 - 4.0	6 - 10		
	40.0	1.2 - 4.0	6 - 10		
	42.3	1.2 - 4.0	6 - 10		
	48.0	1.2 - 4.0	6 - 10		
	51.0	1.2 - 4.0	6 - 10		
	57.0	1.2 - 5.0	6 - 10		
	60.3	1.2 - 5.0	6 - 10		
	76.0	1.5 - 6.0	6 - 10		
	89.0	1.8 - 6.0	6 - 10		
	102.0	1.8 - 6.0	6 - 10		
	108.0	1.8 - 8.0	6 - 10		
	114.0	2.0 - 8.0	6 - 12		
	127.0	2.0 - 8.0	6 - 12		
	133.0	2.5 - 8.0	6 - 12		
	159.0	2.5 - 8.0	6 - 12		
	168.3	2.7 - 8.0	6 - 12		
177.0	2.7 - 8.0	6 - 12			
193.7	2.7 - 8.0	6 - 12			
219.0	2.7 - 8.0	6 - 12			
244.0	5.0 - 8.0	6 - 12			

TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER/ PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
RECTANGULAR STEEL TUBES AND HOLLOW SECTIONS	10x20	1.0 - 2.0	6 - 10	GOST 13663 GOST 8645	St. 1-3 (kp/ps/sp)
	28x25	1.0 - 3.0	6 - 10		
	30x20	1.0 - 3.0	6 - 10		
	40x20	1.0 - 4.0	6 - 10		
	40x25	1.2 - 4.0	6 - 10		
	40x30	1.2 - 4.0	6 - 10		
	50x25	1.2 - 4.0	6 - 10		
	50x30	1.2 - 4.0	6 - 10		
	50x40	1.2 - 5.0	6 - 10		
	60x30	1.2 - 5.0	6 - 10		
	60x40	1.2 - 5.0	6 - 10		
	70x50	1.2 - 5.0	6 - 10		
	80x40	1.2 - 6.0	6 - 10		
	80x50	1.8 - 6.0	6 - 12		
	80x60	1.8 - 6.0	6 - 12		

TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER/ PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
RECTANGULAR STEEL TUBES AND HOLLOW SECTIONS	90x70	1.8 - 6.0	6 - 12	GOST 13663 GOST 8645	St. 1-3 (kp/ps/sp)
	100x40	1.8 - 6.0	6 - 12		
	100x50	1.8 - 6.0	6 - 12		
	100x60	1.8 - 8.0	6 - 12		
	120x40	1.8 - 8.0	6 - 12		
	120x60	1.8 - 8.0	6 - 12		
	120x80	1.8 - 8.0	6 - 12		
	140x110	2.7 - 8.0	6 - 12		
	150x100	2.7 - 8.0	6 - 12		
	160x80	2.7 - 8.0	6 - 12		
	180x100	2.7 - 8.0	6 - 12		
	180x140	3.0 - 8.0	6 - 12		
	200x100	2.7 - 8.0	6 - 12		
	200x120	3.0 - 8.0	6 - 12		
200x160	3.8 - 8.0	6 - 12			

TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER/ PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
SQUARE STEEL TUBES AND HOLLOW SECTIONS	15x15	1.0 - 2.0	6 - 10	GOST 13663 GOST 8639	St. 1-3 (kp/ps/sp)
	20x20	1.0 - 2.7	6 - 10		
	25x25	1.0 - 3.0	6 - 10		
	30x30	1.0 - 4.0	6 - 10		
	35x35	1.2 - 4.0	6 - 10		
	40x40	1.2 - 5.0	6 - 10		
	45x45	1.2 - 5.0	6 - 10		
	50x50	1.2 - 5.0	6 - 10		
	60x60	1.2 - 6.0	6 - 10		
	70x70	1.8 - 6.0	6 - 12		
	80x80	1.8 - 8.0	6 - 12		
	90x90	1.8 - 8.0	6 - 12		
	100x100	1.8 - 8.0	6 - 12		
	120x120	2.7 - 8.0	6 - 12		
	140x140	2.7 - 8.0	6 - 12		
	150x150	2.7 - 8.0	6 - 12		
	160x160	3.0 - 8.0	6 - 12		
180x180	3.8 - 8.0	6 - 12			
200x200	5.0 - 8.0	6 - 12			

TYPE OF STEEL TUBES AND HOLLOW SECTIONS	OUTSIDE DIAMETER/ PROFILE DIMENSIONS, MM	WALL THICKNESS, MM	LENGTH, M	STANDARDS	STEEL GRADES
WATER AND GAS TUBES	Du 10 (17.0)	2.0, 2.2, 2.8	6 - 10	GOST 3262	St. 1-3 (kp/ps/sp)
	Du 15 (21.3)	2.35, 2.5, 2.8, 3.2	6 - 10		
	Du 20 (26.8)	2.35, 2.5, 2.8, 3.2	6 - 10		
	Du 25 (33.5)	2.8, 3.2, 4.0	6 - 10		
	Du 32 (42.3)	2.8, 3.2, 4.0	6 - 10		
	Du 40 (48.0)	3.0, 3.5, 4.0	6 - 10		
	Du 50 (60.0)	3.0, 3.5	6 - 10		
	Du 65 (75.5)	2.8, 3.2, 4.0	6 - 10		
	Du 80 (88.5)	3.5, 4.0	6 - 12		
	Du 90 (101.3)	3.5, 4.0	6 - 12		
	Du 100 (114.0)	3.0, 3.5, 4.0	6 - 12		

CONTACTS

WESTERN EUROPE

SWITZERLAND

Metinvest International SA
Rue Vallin 2
1201 Geneva, Switzerland
+41 22 906 18 28
switzerland@metinvest-international.com

ITALY

Metinvest Trametal
Via XII Ottobre 1
16121 Genova, Italy
+39 010 576 29 11
sales@metinvest-westerneurope.com

Metinvest International Italia,
Ferriera Valsider
Via Antonio Salieri 36
37050 Oppeano (VR), Italy
+39 045 713 33 11
sales@metinvest-westerneurope.com

GERMANY

Trametal Deutschland
Carl-Von-Linde-Strasse 40
85716 Unterschleissheim, Germany
+49 0 89 309 079 0
sales@metinvest-westerneurope.com

Huttropstrasse 60
45138 Essen, Germany
+49 (0) 201 999 509 23
sales@metinvest-westerneurope.com

THE UNITED KINGDOM

Spartan UK
Ropery Rd
NE8 2RD Gateshead, United Kingdom
+44 0 191 460 42 45
sales@metinvest-westerneurope.com

SOUTHEAST ASIA

CHINA

Metinvest International
Wanda Plaza, Bld 5, Off.602
93 Jianguo Road, Chaoyang District,
100022 Beijing, China
vivian.zhou@metinvest-international.com

AMERICAS

LATIN AMERICA AND NORTH AMERICA

Metinvest International
Condominio Avenida Anacaona II
Ave Anacaona Comercial C2
10108 Santo Domingo, Dominican Republic
+1 809 482 74 56
sasha.vukusic@metinvest-international.com

EASTERN EUROPE

BULGARIA

Promet Steel
Administrative Bldg
8314 Debelts, Bulgaria
office.pms@promet.bg

Khan Krum 6
8000, Burgas, Bulgaria
+359 884 550 816
veselin.sokolov@promet.bg

POLAND

Metinvest Polska
Warszawska 33
40-010 Katowice, Poland
+48 032 888 58 41
vladimir.zadolinnyy@metinvestholding.com

ROMANIA

Metinvest Carpathia
Turturelelor 11A, Fl.2
Phoenicia Business Center, Sector 3
030881 Bucharest, Romania
+40 314 378 372
romania@metinvest-international.com

UKRAINE

Metinvest-SMC
Kniaziv Ostroz'kykh 8
01010 Kyiv, Ukraine
+38 044 581 44 98
smc@metinvestholding.com

MENA

TURKEY

Metinvest International
Palladium Ofis ve Residence Binasi,
No:8/A KAT:2-3
Atasehir, Istanbul
34746, Turkey
+90 533 365 50 92
aydin.turker@metinvest-international.com

THE GULF AND NORTH AFRICA

Metinvest International
Jafza One Building B, Fl. 11
Jebel Ali Free Zone
263027 Dubai, United Arab Emirates
+971 4 881 19 40
viktor.vukusic@metinvest-international.com



SCAN TO GET
THE CATALOGS

